

	DATA SCHEDULE																	
Typo	Sole Plate Sliding Plate						te	Radius Masonry P				Hole Loc. Hgt.			Loads (Kips)			Total
Туре	Α	В	C	Ð	Е	F	G	Н	ڶ	K	Ŀ	М	N	Р	Vert.	Horiz.	Dead	Expansion ± (0°F - 120°)
ME36 - I	21	91/2	1%	20	71/2	13/4	<u>+</u>	-	21	H	ł	8 ¹ / ₂	11/2	3¾	150	15	75	ŀ
ME36 - I	2:3	101/2	2	22	8 ¹ / ₂	13/4	Ι±	12	2:3	12	ł	91/2	11/2	3¾	200	20	100	ŀ
ME36 - Ⅲ	25	$ 1 ^{1/2}$	2	2:4	91/2	13/4	Ι±	15	25	13	ł	101/2	11/2	3¾	250	25	125	ŀ
ME36 - IV	26	$13^{1}/_{2}$	23/8	25	111/2	21/8	<u>+</u>	15	26	16	ł	Ξ	2	4 ^l / ₈	300	30	150	11/2
ME36 - ∑	29	$15^{1}/_{2}$	_	28	$13^{1}/_{2}$	2¾	+1	18	29	17	11/2	12!/2	2	47//8	350	35	175	13/4
ME36 - আ	30	16 ¹ / ₂	23/4	29	$14^{1}/_{2}$	25/8	l ±	18	30	20	11/2	13	2 ^l / ₄	5 ¹ / ₈	400	40	200	2 ¹ / ₄

Note: All dimensions are in inches.

Note:

I. Sole and masonry plates to be ASTM A 709 Grade 36, steel painted to match finished bridge color, convex plate shall be a self lubricating bronze bearing plate conforming to 910.01.

FHWA APPROVAL

DATE: 6-8-90

- 2. Fill slots and holes around anchor bolts with nonhardenina caulkina compound or elastic joint sealer.
 3.1000 RMS (Finish all over) except where
- otherwise noted.

 4. Rotation 1/2° ± Maximum.

 5. Design Masonry Bearing Load 1.0 KSI.

- 6. Top of sole plate must be beveled to fit grade of bottom flange.
- 7. Unless otherwise noted, bearings shall be placed normal to & of stringer. 8. Plates are to be shipped as units.

APPROVAL C.S Freedom DIRECTOR
OFFICE OF STRUCTURES DATE: 11/14/80 REVISIONS SHA FHWA 1-4-94 6-9-94

11-17-99


1-22-01


- 9. If more than one size bearing is called for, Contractor may furnish all bearings of the larger size provided the bearing pads are altered to accommodate same. No increase in any prices bid will be allowed if this option is selected.
- 10. All anchor bolts and washers shall be unpainted ASTM A 709 Grade 36 galvanized steel. All nuts shall be unpainted ASTM A 307 galvanized steel.
- II. Medium span range is considered 50' to 150' simple span lengths and comparable span continuous units.

STATE OF MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF STRUCTURES

BRONZE EXPANSION BEARING MEDIUM LENGTH SPANS (GRADE 36 STEEL)

STANDARD NO. BR-SS(9.01)-80-114





DATA SCHEDULE											
Typo	Sol	e Pl	ate	Mas	sonr	y PL	Hole Loc.	Hgt.	lgt. Loads (Kips)		
Туре	A	В	0	Α	В	Ð	E	т	Vert.	Dead	
MF36 - I	20	9	13/4	20	9	13/4	8	3l/ ₂	150	75	
MF36 - I	2:2	H	2	2:2	H	2	9	4	200	100	
MF36 - Ⅲ	24	12	2 ^l / ₄	24	12	2 ^l / ₄	10	$4\frac{l}{2}$	250	125	
MF36 - Ⅲ	26	13	21/2	26	13	21/2	H	5	300	150	
MF36 - ∑	30	15	23/4	30	15	23/4	13	51/2	350	175	
MF36 - আ	32	16	3	3:2	16	3	14	6	400	200	

- 1. Sole and masonry plates to be ASTM A 709 Grade 36 steel painted to match finished bridge color.
- 2. Fill slots and holes around anchor bolts with nonhardening caulking compound or elastic joint sealer.
- 3.1000 RMS (Finish all over) except where

- otherwise noted.

 4. Rotation 1/2° ± Maximum.

 5. Design Masonry Bearing Load I.O KSI.

 6. Top of sole plate must be beveled to fit grade of bottom flange.
- 7. Unless otherwise noted, bearings shall be placed normal to & of stringer.

FHWA APPROVAL

DATE: 6-8-90

11-17-99

1-22-01


8. Plates are to be shipped as units.


9. If more than one size bearing is called for, Contractor may furnish all bearings of the larger size provided the bearing pads are altered to accommodate same. No increase in any prices bid will be allowed if this option is selected.

- 10. All anchor bolts and washers shall be unpainted ASTM A 709 Grade 36 galvanized steel. All nuts shall be unpainted ASTM A 307 galvanized steel.
- II. Medium span range is considered 50' to 150' simple span lengths.

APPR	OVAL	STATE OF MARYLAND									
OFFICE OF S		DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF STRUCTURES									
REVIS	BIONS	FIXED BEARING									
SHA	FHWA	MEDIUM LENGTH SPANS									
1-4-94		(GRADE 36 STEEL)									
6-9-94		NONADE 30 STEEL									

STANDARD NO. BR-SS(9.02)-80-115





	DATA SCHEDULE											
Typo	Sol	e Pl	ate	Mas	sonr	y PL	Hole Loc.	Hgt.	Loads	(Kips)		
Туре	Α	В	0	Α	В	Ð	E	F	Vert.	Dead		
SE36 - I	17	9	+	17	9	ł	6 ^l / ₂	2	7:0	16		
SE36 - I	19	9	+	19	9	1	71/2	2	85	2:3		
SE36 ⁻ - Ⅲ	21	9	ł	21	9	ł	81/2	2	100	34		

36 steel painted to match finished bridge color.

2. Fill slots and holes around anchor bolts with nonhardening caulking compound or elastic joint sedler.
3.1000 RMS (Finish all over) except where

otherwise noted.

4. Design Bearing Load 0.7 KSI.

5. Top of sole plate must be beveled to fit grade of bottom flange. If sole plate must be beveled, dimension 'C' shall be

measured at φ of bearing. 6. Unless otherwise noted, bearings shall be placed normal to & of stringer.

7. Plates are to be shipped as units.

8. If more than one size bearing is called for, Contractor may furnish all bearings of the larger size provided the bearing pads are altered to accommodate same. No FHWA APPROVAL

APPROVAL C.5 Freedram DIRECTOR OFFICE OF STRUCTURES DATE: 11/14/80 REVISIONS SHA FHWA 1-4-94

6-9-94

11-17-99

1-22-01

DATE: 6-8-90

I.Sole and masonry plates to be ASTM A 709 Grade increase in any prices bid will be allowed if this option is selected.


9. This bearing for use on simple span steel stringer bridges less than 50'-0" long and/or comparable continuous span lengths.


10. All anchor bolts and washers shall be unpainted ASTM A 709 Grade 36 galvanized steel. All nuts shall be unpainted ASTM A 307 galvanized steel.

STATE OF MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF STRUCTURES

EXPANSION BEARING SHORT LENGTH SPANS (GRADE 36 STEEL)

STANDARD NO. BR-SS(9.03)-81-128





	DATA SCHEDULE										
Typo	Sol	e Pl	ate	Mas	sonr	y PL	Hole Loc.	Hgt.	Loads	(Kips)	
Type	Α	В	0	Α	В	Ð	E	F	Vert.	Dead	
SF36 - I	17	9	ł	17	9	1	6 ^l / ₂	2	7:0	16	
SF36 - I	19	9	ł	19	9	1	71/2	2	85	2:3	
SF36 - Ⅲ	21	9	ł	21	9	1	81/2	2	100	3:4	

- 1. Sole and masonry plates to be A 709 Grade 36 steel painted to match finished bridge color.
- 2. Fill slots and holes around anchor bolts with nonhardening caulking compound or elastic joint sedler.
 3.1000 RMS (Finish all over) except where
- otherwise noted.
- 4. Design Bearing Load 0.7 KSI.
- 5. Top of sole plate must be beveled to fit grade of bottom flange. If sole plate must be beveled, dimension 'C' shall be
- measured at φ of bearing. 6. Unless otherwise noted, bearings shall be placed normal to & of stringer.
- 7. Plates are to be shipped as units.
- 8. If more than one size bearing is called for, Contractor may furnish all bearings of the larger size provided the bearing pads are altered to accommodate same. No FHWA APPROVAL

- increase in any prices bid will be allowed if this option is selected.
- 9. This bearing for use on simple span steel stringer bridges less than 50'-0''long and/or comparable continuous span lengths.
- 10. All anchor bolts and washers shall be unpainted A 709 Grade 36 galvanized steel. All nuts shall be unpainted A 307 galvanized steel.

APPROVAL P.S Freedom DIRECTOR OFFICE OF STRUCTURES DATE: 11/14/80 REVISIONS SHA FHWA 6-8-93

1-4-94

6-9-94


11-17-99


DATE: 6-8-90

STATE OF MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF STRUCTURES


> FIXED BEARING SHORT LENGTH SPANS (GRADE 36 STEEL)

STANDARD NO. BR-SS(9.04)-81-129





SUPER - BEARI



	DATA SCHEDULE																	
Typo	Sol	e Plo	ate	Sli	iding	Pla	te	Radius	Mas	sonr	y PL	Hole Loc. Hgt.		. Loads (Kips)			Total Expansion ±	
Туре	А	В	C	Ð	E	F	G	Н	ڶ	K	Ŀ	М	N	Р	Vert.	Horiz.	Dead	(0°F - 120°)
ME50 - I	21	91/2	13/4	20	71/2	13/4	Ι±	11	21	H	H	8 ¹ / ₂	11/2	3¾	145	10	70	11/2
ME50 - I	2:3	101/2	17/8	2:2	81/2	13/4	1 <u>+</u>	12	2:3	12	+	91/2	11/2	3¾	185	15	90	11/2
ME50 - Ⅲ	25	111/2	2	24	91/2	13/4	Ι±	15	25	13	+	$10\frac{1}{2}$	11/2	3¾	225	20	ΗŌ	11/2
ME50 - Ⅲ	26	$14^{1}/_{2}$	21/8	25	$12^{1}/_{2}$	2	<u>+</u>	18	26	16	+	\equiv	2	4	310	30	155	21/2
ME50 - ∑	29	$15^{1}/_{2}$	23/8	28	$13^{1}/_{2}$, ,	Ι±	18	29	17	11/2	12!/2	2	43/4	375	35	185	21/2
ME50 - ∑I	30	16 ¹ /2	21/2	2.9	$14^{1}/_{2}$,	Ι±	19	30	20	11/2	13	21/2	47//8	420	40	210	3 ^l / ₂
ME50 - Ⅲ	31	18 ¹ / ₂	21/2	30	15 ¹ / ₂	2¾	Ι±	2:2	31	2:3	2	$13^{1}/_{2}$	3	5%	460	45	230	4 ¹ / ₂

32 24 21/2 14 31/2 6

Note:

1. Sole and masonry plates to be ASTM A 709 Grade 50, steel painted to match finished bridge color, convex plate shall be a self lubricating bronze bearing plate conforming to 910.01.

ME50 - $\sqrt{32}$ | 32 | 19 $\frac{1}{2}$ | 2 $\frac{5}{8}$ | 31 | 16 $\frac{1}{2}$ | 2 $\frac{1}{2}$ | \pm

FHWA APPROVAL

DATE:

- 2. Fill slots and holes around anchor bolts with nonhardenina caulkina compound or elastic joint šealer.
- 3.1000 RMS (Finish all over) except where otherwise noted.

 4. Rotation 1/2° ± Maximum.

 5. Design Masonry Bearing Load 1.0 KSI.

- 6. Top of sole plate must be beveled to fit grade of bottom flange.
- 7. Unless otherwise noted, bearings shall be placed normal to & of stringer. 8. Plates are to be shipped as units.
- APPROVAL C.5 Treadmon DIRECTOR
 OFFICE OF STRUCTURES DATE: 11/19/99 REVISIONS SHA FHWA 3-7-00 9-15-00

1-22-01

pads are altered to accommodate same. No increase in any prices bid will be allowed if this option is selected. 10. All anchor bolts and washers shall be unpainted ASTM A 709 Grade 36 galvanized steel. All nuts shall be unpainted ASTM A 307 galvanized steel. II. Medium span range is considered 50' to 150' simple span

255

 $5\frac{1}{2}$

lengths and comparable span continuous units.


50

9. If more than one size bearing is called for, Contractor may furnish all bearings of the larger size provided the bearing

> STATE OF MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF STRUCTURES

BRONZE EXPANSION BEARING MEDIUM LENGTH SPANS (GRADE 50 STEEL)

STANDARD NO. BR-SS(9.05)-99-335



	DATA SCHEDULE																	
Туре	Sol	e Pla	ate	Sli	iding	Pla	te	Radius	Mas	onr	y Ł	Hole	Loc.	Hgt.	Max. Bottom	Strength Limits	Service Limit State	Allow Exp.(+/-)
1 3 6	Α	В	0	Ð	E	F	G	Н	ان	K	Ŀ	М	Ν	Р	FI. W.	State Loads	Loads	(Note 4)
ME50 - I	21	91/2	13/4	20	71/2	13/4	<u>+</u>	H	21	H	ŀ	81/2		3¾	12	200 k	120 k	
ME50 - I	2:3	$10^{1/2}$	1 1//8	22	81/2	13/4	Ι±	12	2:3	12	ŀ	91/2	13/4	33/4	14	300 k	185 k	1
ME50 - Ⅲ	25	$12^{1}/_{2}$	2	24	91/2	13/4	Ι±	15	25	13	11/4	$10^{1/2}$	2	4	16	400 k	250 k	11/4
ME50 - Ⅲ	27	$13^{1}/_{2}$	21/8	26	H	2	±	16	2.7	16	11/4	111/2	21/4		18	500 k	310 k	11/2
ME50 - ∑	29	$15^{1}/_{2}$	2¾	28	13	2 ^l / ₄	+ <u>+</u>	18	29	17	11/2	$12^{1}/_{2}$	1		20	600 k	375 k	13/4
ME50 - ∑I	31	17	$2\frac{1}{2}$	30	$14^{1}/_{2}$	Ò	Ι±	20	31	20	11/2	$13\frac{1}{2}$	23/4		22	700 k	440 k	2
ME50 - Ⅲ	3:3	$18\frac{1}{2}$	$2\frac{1}{2}$	32	$15^{1/2}$	23/8	Ι±	2:3	3:3	2:3	2	$14^{1}/_{2}$	3	5%	24	800 k	505 k	2 ^l / ₄
ME50 - Ⅷ	35	19	25/8	34	16 ^J / ₂	21/2	Ι±	2:3	35	24	21/2	$15\frac{1}{2}$	3 ¹ / ₄	6	26	900 k	570 k	21/2
ME50 - IX	3.7	21	3	36	171/2	23/4	1 1/ ₄ ±	26	3:7	25		16 ¹ / ₂	31/2	, _	28	1000 k	635 k	23/4
ME50 - X	3.9	21	3	38	171/2	23/4	11/ ₄ ±	26	3.9	26	23/4	$17^{1}/_{2}$	4	6¾	30	IIOO k	700 k	3 [!] / ₄
ME50 - XI	41	2:2	$3\frac{1}{4}$	40	18	3	1½±	28	41	2.7	3	$18\frac{1}{2}$	$4\frac{l}{2}$	7 ^l / ₂	32	1200 k	760 k	33/4

Note:

- 1. Sole and masonry plates to be ASTM A 709 color, convex plate shall be a self lubricating
- bronze bearing plate conforming to 910.01. 2. Fill slots and holes around anchor bolts with nonhardening caulking compound
- or elastic joint sealer. 3.1000 RMS (Finish all over) except where otherwise noted.
- 4. Allowable expansion is based on a 60°F. temperature change from center slot setting at 60°F.
- 5. Compressive strength of concrete bearing area shall be 3.5 ksi or greater. 6. Top of sole plate must be beveled to
- fit grade of bottom flange.
- 7. Unless otherwise noted, bearings shall be placed normal to & of stringer.

8. Plates are to be shipped as units.

- Grade 50, steel painted to match finished bridge 9.1f more than one size bearing is called for, Contractor may furnish all bearings of the larger size provided the bearing pads are altered to accommodate same. No increase in any prices bid will be allowed if this option is selected.
 - 10. All anchor bolts and washers shall be unpainted ASTM F 1554 Grade 36 galvanized steel. All nuts shall be unpainted ASTM A 563 galvanized steel.
 - II. The maximum design rotation due to strength load combinations $(\theta u) = 0.75$ %.

STATE OF MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF STRUCTURES




BRONZE EXPANSION BEARING MEDIUM LENGTH SPANS (GRADE 50 STEEL)

SHEET 2 OF 3

1-22-01

10-9-07 1-21-09 4-21-09



FOR ALL GIRDERS WITH SPAN LENGTHS 150' OR GREATER Scale: 1/2" = 1'-0"

To accommodate AASHTO Requirements, bearings for girders 150' or greater shall be extended to accommodate 2 additional bolts. Size and details of all 4 anchor bolts to be the same as that required for 2 bolt bearings.

*Edges may be left as cut or cast.

**Where bridge is not skewed, & Brg. and \$\bigseleft\$ shoe are coincident.


APPROVAL								
OFFICE OF	DIRECTOR STRUCTURES							
DATE: ///	9/99							
REVISIONS								
CHV	ELIM/A							

STATE OF MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF STRUCTURES

BRONZE EXPANSION BEARING MEDIUM LENGTH SPANS (GRADE 50 STEEL)

FHWA APPROVAL **STANDARD NO.** BR-SS(9.05)-99-335 DATE:

SHEET 3 OF 3



3. Sliding plate not shown.

FOR ALL GIRDERS WITH SPAN LENGTHS 150' OR GREATER Scale: 1/2" = 1'-0"

Note:

Bearings for girders 150^{\prime} or greater shall be extended to accommodate 2 additional bolts. Size and details of all 4 anchor bolts to be the same as that required for 2 bolt bearings.

* Edges may be left as cut or cast.

**Where bridge is not skewed, & Brg. and & shoe are coincident.

APPROVAL								
C.S Freedman DIRECTOR OFFICE OF STRUCTURES								
DATE:	11/19/99							
REVISIONS								

SHA


STATE OF MARYLAND
DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION
OFFICE OF STRUCTURES




BRONZE EXPANSION BEARING MEDIUM LENGTH SPANS (GRADE 50 STEEL)


	10-3-01	(GRADE 50 STEET
	-	TOTABL 30 STELL
FHWA APPROVAL	-	STANDARD NO. BR-SS(9.05)-99-335(L)
DATE:		STANDARD NO. DN-33(3,00)-33-333(L)

FHWA





DATE:



DATA SCHEDULE											
Typo	Sol	e Pl	ate	Mas	sonr	y PL	Hole Loc.	Hgt.	Loads (Kips)		
Туре	Α	В	C	Α	В	Ð	Е	F	Vert.	Dead	
MF50 - I	20	9	13/4	20	9	13/4	8	31/2	175	85	
MF50 - I	2:2	H	17/8	2:2	H	17/8	9	3¾	240	120	
MF50 - Ⅲ	24	12	2	24	12	2	10	4	285	140	
MF50 - Ⅲ	26	13	2 ^l / ₄	26	13	2 ^l / ₄	Н	$4\frac{1}{2}$	335	165	
MF50 - ∑	30	15	21/2	30	15	21/2	13	5	445	220	
MF50 - ∑	3:2	16	23/4	3:2	16	23/4	14	5l/ ₂	510	255	
MF50 - Ⅲ	3.4	18	2 1/8	34	18	27/8	15	5¾	610	305	
MF50 - Ⅷ	36	20	3	36	20	3	16	6	715	355	

- 1. Sole and masonry plates to be ASTM A 709 Grade 50 steel painted to match finished bridae color.
- 2. Fill slots and holes around anchor bolts with nonhardening caulking compound or elastic joint sealer.
- 3.1000 RMS (Finish all over) except where

- otherwise noted.
 4. Rotation 1/2° ± Maximum.
 5. Design Masonry Bearing Load I.O KSI.
 6. Top of sole plate must be beveled to fit grade of bottom flange.
- 7. Unless otherwise noted, bearings shall be placed normal to & of stringer.

FHWA APPROVAL

8. Plates are to be shipped as units.


- 9. If more than one size bearing is called for, Contractor may furnish all bearings of the larger size provided the bearing pads are altered to accommodate same. No increase in any prices bid will be allowed if this option is selected.
- 10. All anchor bolts and washers shall be unpainted ASTM A 709 Grade 36 galvanized steel. All nuts shall be unpainted ASTM A 307 galvanized steel.
- II. Medium span range is considered 50' to 150' simple span lengths.

APPR	APPROVAL							
C.S Freedman								
DATE: 11/19	/99							
REVIS								
SHA								
1-22-01								
3-13-01								

STATE OF MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF STRUCTURES

> FIXED BEARING MEDIUM LENGTH SPANS (GRADE 50 STEEL)

STANDARD NO. BR-SS(9.06)-99-336



	DATA SCHEDULE										
_	Strength	Service									
Type	Α	e Pl B	C	Α	sonr B	y PL D	Hole Loc. E	F	Bottom Fl.Width	Limit State Loads	Limit State Loads
MF50 - I	20	9	13/4	20	9	13/4	8	3 ¹ / ₂	12	300 k	185 K
MF50 - I	22	H	17/8	2:2	H	17//8	9	3¾	14	400 k	250 k
MF50 - Ⅲ	24	12	2	24	12	2	10	4	16	500k	310 K
MF50 - IV	26	13	2 ^l / ₄	26	13	2 ^l / ₄	11	$4\frac{1}{2}$	18	600k	375 k
MF50 - ∑	30	15	21/2	30	15	21/2	13	5	2:2	700 K	440 K
MF50 - ∑I	32	16	23/4	3:2	16	23/4	14	5 ^l / ₂	24	800k	505k
MF50 - Ⅲ	34	18	21//8	34	18	27/8	15	5¾	26	900k	570 k
MF50 - Ⅷ	36	20	3	36	20	3	16	6	28	1000k	635k
MF50 - IX	38	2:2	3	38	2:2	3	17	6	30	1100k	700k
MF50 - X	40	2.4	3 ^l / ₄	40	24	3 ¹ / ₄	18	61/2	3:2	1200k	760k

Nota.

- I.Sole and masonry plates to be ASTM A 709 Grade 50 steel painted to match finished bridge color.
- 2. Fill slots and holes around anchor bolts with nonhardening caulking compound or elastic joint sealer.
- 3.1000 RMS (Finish all over) except where otherwise noted.
- 4. Compressive strength of concrete bearing area shall be 3.5 ksi or greater.
- 5. Top of sole plate must be beveled to fit grade of bottom flange.
- 6.Unless otherwise noted, bearings shall be placed normal to ⊈ of stringer.
- 7. Plates are to be shipped as units.


- 8. If more than one size bearing is called for, Contractor may furnish all bearings of the larger size provided the bearing pads are altered to accommodate same. No increase in any prices bid will be allowed if this option is selected.
- prices bid will be allowed if this option is selected.

 9. All anchor bolts and washers shall be unpainted ASTM F 1554
 Grade 36 galvanized steel. All nuts shall be unpainted ASTM
 A 563 galvanized steel.
- 10. The maximum design rotation due to strength load combinations (θ u) = 0.75".

STATE OF MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF STRUCTURES



FIXED BEARING MEDIUM LENGTH SPANS (GRADE 50 STEEL)



I. Nut not shown.

2. Pad and support not shown.

FOR ALL GIRDERS WITH SPAN LENGTHS 150' OR GREATER Scale: 11/2" = 1'-0"

Note:

To accommodate AASHTO Requirements, bearings for girders 150' or greater shall be extended to accommodate 2 additional bolts. Size and details of all 4 anchor bolts to be the same as that required for 2 bolt bearings.

* Edges may be left as cut or cast.

**Where bridge is not skewed, & Brg. and & shoe are coincident.


APPI	ROVAL					
C.S. Greedman DIRECTOR						
DATE: ////	9/99					
REVI	SIONS					
CHV	ELIM/A					

STATE OF MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF STRUCTURES

> FIXED BEARING MEDIUM LENGTH SPANS (GRADE 50 STEEL)

FHWA APPROVAL		STANDARD NO BR-SS(9.06)-99-336
DATE:		STANDARD NO. BR-55(9.06)-99-336

SHEET 3 OF 3



Note: I. Nut not shown.

2. Pad and support not shown.

FOR ALL GIRDERS WITH SPAN LENGTHS 150' OR GREATER Scale: 1/2" = 1'-0"

FHWA APPROVAL

DATE:

Bearings for girders 150'or greater shall be extended to accommodate 2 additional bolts. Size and details of all 4 anchor bolts to be the same as that required for 2 bolt bearings.

*Edges may be left as cut or cast.

**Where bridge is not skewed, & Brg. and \$\bigseleft\$ shoe are coincident.

	APPROVAL							
<u> OFFICE</u>	Freedman DIRECTOR							
DATE:	11/19/99							

REVISIONS SHA FHWA 10-9-07


FIXED BEARING MEDIUM LENGTH SPANS (GRADE 50 STEEL)


STATE OF MARYLAND DEPARTMENT OF TRANSPORTATION

STATE HIGHWAY ADMINISTRATION

OFFICE OF STRUCTURES

SHEET 3 OF.






10-9-07

STANDARD NO. BR-SS(9.07)-99-337(L)

FHWA APPROVAL

DATE:

SHEET ___ OF_2



DATA SCHEDULE										
Typo	Sol	e Pl	ate	Masonry P			Hole Loc.	Hgt. Loads (Kips)		(Kips)
Туре	А	В	C	Α	В	Ð	E	F	Vert.	Dead
SE50 - I	17	9	1	17	9	ł	6 ^l / ₂	2	7:0	16
SE50 - I	19	9	1	19	9	1	71/2	2	85	2:3
SE50 - Ⅲ	21	9	-	21	9	ł	81/2	2	100	34

- 50 steel painted to match finished bridge color.
- 2. Fill slots and holes around anchor bolts with nonhardening caulking compound
- or elastic joint sedler.
 3.1000 RMS (Finish all over) except where otherwise noted.
- 4. Design Bearing Load 0.7 KSI.
- 5. Top of sole plate must be beveled to fit grade of bottom flange. If sole plate must be beveled, dimension 'C' shall be measured at & of bearing.

 6. Unless otherwise noted, bearings shall
- be placed normal to ¢ of stringer.
- 7. Plates are to be shipped as units.
- 8. If more than one size bearing is called for, Contractor may furnish all bearings of the larger size provided the bearing pads are altered to accommodate same. No FHWA APPROVAL

DATE:


- I.Sole and masonry plates to be ASTM A 709 Grade increase in any prices bid will be allowed if this option is selected.
 - 9. This bearing for use on simple span steel stringer bridges less than 50'-0" long and/or comparable continuous span lengths.
 - 10. All anchor bolts and washers shall be unpainted ASTM A 709 Grade 36 galvanized steel. All nuts shall be unpainted ASTM A 307 galvanized steel.

APPROVAL							
C.S. Fredrag DIRECTOR OFFICE OF STRUCTURES							
DATE: ///19/99							
REVISIONS							
SHA	FHWA						

STATE OF MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF STRUCTURES

> EXPANSION BEARING SHORT LENGTH SPANS (GRADE 50 STEEL)

STANDARD NO. BR-SS(9.07)-99-337



DATA SCHEDULE										
Tvro	Sol	e Pl	ate	Masonry £			Hole Loc.	Hgt.	Service Loads (Kips)	
Туре	A	В	0	Α	В	Ð	E	F	Vert.	
SE50 - I	17	9	+	17	9	1	6 ^l / ₂	2	7:0	
SE50 - I	19	9	/ ₄	19	9	/ ₄	71/2	21/2	85	
SE50 - Ⅲ	21	9	11/4	21	9	11/4	81/2	21/2	100	

- 50 steel painted to match finished bridge color.
- 2. Fill slots and holes around anchor bolts with nonhardening caulking compound
- or elastic joint sedler.
 3.1000 RMS (Finish all over) except where otherwise noted.
- 4. Top of sole plate must be beveled to fit grade of bottom flange. If sole plate must be beveled, dimension 'C' shall be measured at $\mbox{\ensuremath{\upolinebox{\ensuremath{\ensuremath{\upolinebox{\ensuremath{\upolinebox{\ensuremath{$
- 5. Unless otherwise noted, bearings shall be placed normal to & of stringer.
- 6. Plates are to be shipped as units. 7. If more than one size bearing is called for, Contractor may furnish all

bearings of the larger size provided the bearing pads are altered to accommodate same. No

FHWA APPROVAL

DATE:

APPROVAL P.S Fredram DIRECTOR OFFICE OF STRUCTURES DATE: ///19/99 REVISIONS SHA FHWA 10-9-07

I.Sole and masonry plates to be ASTM A 709 Grade increase in any prices bid will be allowed if this option is selected.


8. This bearing for use on simple span steel stringer bridges less than 50'-0" long and/or comparable continuous span lengths.


9. All anchor bolts and washers shall be unpainted ASTM A 709 Grade 36 galvanized steel. All nuts shall be unpainted ASTM A 307 galvanized steel.

STATE OF MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF STRUCTURES

EXPANSION BEARING SHORT LENGTH SPANS (GRADE 50 STEEL)

STANDARD NO. BR-SS(9.07)-99-337(L)





7-26-06

10-9-07


STANDARD NO. BR-SS(9.08)-99-338(L)

FHWA APPROVAL

DATE:

SUPER - BEARING

SHEET ___ OF_2



	DATA SCHEDULE										
Typo	Sol	e Pl	ate	Masonry PL			Hole Loc.	Hgt.	. Loads (Kips)		
Туре	Α	В	0	Α	В	Ð	E	F	Vert.	Dead	
SF50 - I	17	9	+	17	9	1	6 ^l / ₂	2	7:0	16	
SF50 - I	19	9	_	19	9	1	71/2	2	85	2:3	
SF50 - Ⅲ	21	9	_	21	9	1	81/2	2	100	3:4	

- 50 steel painted to match finished bridge color.
- 2. Fill slots and holes around anchor bolts with nonhardening caulking compound
- or elastic joint sedler.
 3.1000 RMS (Finish all over) except where otherwise noted.
- 4. Design Bearing Load 0.7 KSI.
- 5. Top of sole plate must be beveled to fit grade of bottom flange. If sole plate must be beveled, dimension 'C' shall be
- measured at φ of bearing. 6. Unless otherwise noted, bearings shall be placed normal to ¢ of stringer.
- 7. Plates are to be shipped as units.
- 8. If more than one size bearing is called for, Contractor may furnish all bearings of the larger size provided the bearing pads are altered to accommodate same. No FHWA APPROVAL

DATE:

I.Sole and masonry plates to be ASTM A 709 Grade increase in any prices bid will be allowed if this option is selected.


- 9. This bearing for use on simple span steel stringer bridges less than 50'-0''long and/or comparable continuous span lengths.
- 10. All anchor bolts and washers shall be unpainted ASTM A 709 Grade 36 galvanized steel. All nuts shall be unpainted ASTM A 307 galvanized steel.

APPROVAL								
DIRECTOR OFFICE OF STRUCTURES								
DATE: 11/19/99								
REVISIONS								
SHA FHWA								
1-22-01								

STATE OF MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF STRUCTURES

> FIXED BEARING SHORT LENGTH SPANS (GRADE 50 STEEL)

STANDARD NO. BR-SS(9.08-99-338



DATA SCHEDULE									
Typo	Sol	e Pl	ate	Mas	Masonry PL Hole Loc. H			Hgt.	Service Loads (Kips)
Туре	Α	В	C	Α	В	Ð	Е	F	Vert.
SF50 - I	17	9	1	17	9	+	6l/2	2	7:0
SF50 - I	19	9	1	19	9	+	7 ¹ / ₂	2	85
SF50 - Ⅲ	21	9	ł	21	9	+	8l/ ₂	2	100

- 50 steel painted to match finished bridge color.
- 2. Fill slots and holes around anchor bolts with nonhardening caulking compound
- or elastic joint sedler.
 3.1000 RMS (Finish all over) except where otherwise noted.
- 4. Top of sole plate must be beveled to fit grade of bottom flange. If sole plate must be beveled, dimension 'C' shall be measured at $\mbox{\ensuremath{\upolinebox{\ensuremath{\ensuremath{\upolinebox{\ensuremath{\upolinebox{\ensuremath{$
- 5. Unless otherwise noted, bearings shall be placed normal to & of stringer.
- 6. Plates are to be shipped as units.
- 7. If more than one size bearing is called for, Contractor may furnish all bearings of the larger size provided the bearing pads are altered to accommodate same. No

I.Sole and masonry plates to be ASTM A 709 Grade increase in any prices bid will be allowed if this option is selected.

- 8. This bearing for use on simple span steel stringer bridges less than 50'-0" long and/or comparable continuous span lengths.
- 9. All anchor bolts and washers shall be unpainted ASTM A 709 Grade 36 galvanized steel. All nuts shall be unpainted ASTM A 307 galvanized steel.

APPR	OVAL								
C.S. Freedom DIRECTOR OFFICE OF STRUCTURES									
DATE: 11/19.	/99								
REVISIONS									
SHA FHWA									
1-22-01									

10-9-07

FHWA APPROVAL

DATE:

STATE OF MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF STRUCTURES

> FIXED BEARING SHORT LENGTH SPANS (GRADE 50 STEEL)